

## TS Mangkhut - Advisory 8

For Planning Purposes Only!

 $\underline{\text{http://simsuite.usace.army.mil/agol/apps/missionmodels/index.html}}$ 


Updated as of 8 Sep 2018 (6:21 PM Eastern Daylight Time)











## **Mission Summary**



The mission models account for storm surge and wind damage only, but do not account for other related storm hazards that may affect the mission estimates.

Total Counties	2
Debris (cu. yd.)	106,380
Temporary Roofing (units)	2,450
Population	227,896
Households	61,255

COMMONWEALTH OF NORTHERN MARIANA ISLANDS	Yards of Debris (31,356)	Roof Units (722)	Population (65,000)	Households (18,055)
SIAPAN	31,356	722	65,000	18,055

GUAM	Yards of Debris (75,024)	Roof Units (1,728)	Population (162,896)	Households (43,200)
GUAM	75,024	1,728	162,896	43,200

## **Critical Infrastructure**

Total: 218 Structures

Power Requirements: 9,861.3 kW

Communications	# FED Gen Req	Range (kW)	Req kW
AM Antennas (0)	0.0	35 - 75	0.0
Cellular Towers (22)	13.2	35 - 75	726.0
FM Antennas (0)	0.0	35 - 75	0.0

Education	# FED Gen Req	Range (kW)	Req kW
Private Schools (0)	0.0	200 - 300	0.0
Public Schools (71)	21.3	200 - 300	5,325.0
Colleges and Universities (4)	0.1	200 - 300	20.0

Emergency Services	# FED Gen Req	Range (kW)	Req kW
911 Call Centers (0)	0.0	15 - 35	0.0
Emergency Medical Service (32)	3.2	15 - 35	80.0
Fire Stations (33)	3.3	15 - 35	82.5
Service Providers (0)	0.0	0 - 0	0.0

Healthcare	# FED Gen Req	Range (kW)	Req kW
Nursing Homes (1)	0.1	35 - 100	10.1
Hospitals (5)	1.5	800 - 2000	2,100.0
Urgent Care Facilities (0)	0.0	200 - 300	0.0

Military	# FED Gen Req	Range (kW)	Req kW
Air National Guard (ANG) Sites (1)	0.0	15 - 35	0.0
Army National Guard (ARNG) Sites (2)	0.0	15 - 35	0.0
National Security Government Military Facilities (0)	0.0	15 - 35	0.0

Law Enforcement	# FED Gen Req	Range (kW)	Req kW
Prison Points (3)	0.6	400 - 600	300.0
Local Police (0)	0.0	15 - 35	0.0
State Police (2)	0.1	15 - 35	2.5
Correctional Facilities (2)	0.4	400 - 600	200.0

State and Local EOC	# FED Gen Req	Range (kW)	Req kW
Local Emergency Operations Centers (2)	0.4	15 - 40	11.0
State Emergency Operation Centers (EOCs) (1)	0.2	15 - 35	5.0

State Facilities	# FED Gen Req	Range (kW)	Req kW
Governors Mansion (1)	0.0	100 - 200	0.0
Major State Government Building (22)	2.2	100 - 200	330.0

Transportation	# FED Gen Req	Range (kW)	Req kW
Ports (0)	0.0	600 - 1200	0.0
Amtrak Stations (0)	0.0	100 - 300	0.0
Bus Stations (0)	0.0	100 - 300	0.0
Intermodal Terminal Facilities (0)	0.0	100 - 300	0.0
Railroad Stations (0)	0.0	100 - 300	0.0
Public-Use Airports (13)	1.6	40 - 100	109.2

Water_Waster Water	# FED Gen Req	Range (kW)	Req kW
Water Treatment Facilities (1)	0.4	800 - 2000	560.0
Wastewater Treatment Plants (0)	0.0	800 - 2000	0.0

Report Generated by SimSuite http://simsuite.usace.army.mil/agol/apps/missionmodels/index.html